aspire shower commode accessories

Hand Made Pressure Reducing Commode Seats





Hand made pressure care seat surface designed for comfort during extended use and pressure injury prevention

European Dartex anti-microbial four-way stretch fabric is waterproof and breathable

Multi-layered foam, with memory foam top layer, to maximise immersion and envelopment for pressure distribution

Sealed seams for infection control management

Adaptable seat attachment to suit all shower commode brands

Max seat height: 65mm

Fully customisable options to suit specific needs (see script form on page 4)



Code	Description	Width
BTC089122	Pressure Reducing – Open Front	320
BTC089124	Pressure Reducing – Closed Front	320
BTC089126	Pressure Reducing – Open Front	400
BTC089128	Pressure Reducing – Closed Front	400
BTC089130	Pressure Reducing – Open Front	460
BTC089140	Pressure Reducing – Closed Front	460
BTC089150	Pressure Reducing – Open Left	460
BTC089160	Pressure Reducing – Open Right	460
BTC089170	Pressure Reducing – Open Front	500
BTC089180	Pressure Reducing – Closed Front	500
BTC089190	Pressure Reducing – Open Front	550
BTC089200	Pressure Reducing – Closed Front	550
BTC089210	Pressure Reducing – Open Front	600
BTC089220	Pressure Reducing – Closed Front	600
BTC089230	Pressure Reducing – Open Front	650
BTC089240	Pressure Reducing – Closed Front	650
BTC089250	Pressure Reducing - Customised (See S	Script Form)

Padded Commode Seats



Moulded and seamless soft PU seats designed for comfort and durability

Easy clean, fully sealed surface for infection control Adaptable to most shower commode brands M6 Tri Nut assembly kit needed for seat attachment. Comes as standard with all commodes. Available as a spare part if lost (GSP342405)

Code	Description	Width
BTC066600	Open Seat	460
BTC066750	Open Seat	530
BTC066800	Open Seat	600
BTC066700	Closed Seat	460



ROHO® Padded Seats



High level pressure relief for high needs users Interconnected air cells help disperse pressure Includes cover and fully washable



Code	Description
BTC067500	Closed Seat – 380 x 425
BTC067900	Closed Seat – 425 x 425
BTC067600	Closed Seat – 425 x 470
BTC067300	Closed Seat - 470 x 470

Elevating Legrests



For leg and foot positioning or elevation (i.e. to treat oedema)

Legrest is adjustable to six angles Footplate is height and angle adjustable Fits all Aspire Shower Commodes with swing away legrests



Code	Description
BTC067108M	Left – Non-Tilt Only – Matte Finish
BTC067109M	Right – Non-Tilt Only – Matte Finish
BTC067110M	Left - Tilt-in-Space Only - Matte Finish
BTC067115M	Right - Tilt-in-Space Only - Matte Finish







Stump Support

Adaptable clamp fits most shower commode brands

Not compatible with BTC061200, BTC068010 and BTC068020



Advanced Headrest

Padded, height and depth adjustable for positioning and support

Adaptable to other brands

Not compatible with BTC061200, BTC068010 and BTC068020



Aspire Self Propelling Conversion Kit

Converts Attendant Propelled **Shower Commodes into** Self Propelling version

Not compatible with Bariatric BTC061200, BTC061400, Tilt and Recline BTC066030, BTC066040 or Aluminium **Shower Commodes** BTC068010, BTC068020



Padded Armrest

Replacement padded armrest

Compatible with 600 mm wide aspire shower commode only



Lateral Support

Width and height adjustable thoracic positioning and lumbar spine support

Adaptable clamp fits other brands

Not compatible with BTC061200, BTC068010 and BTC068020



Adjustable Pelvic Belt

Adjustable belt to assist with pelvic and lower thoracic positioning and safety Durable and washable to 95°c Plastic buckle reduces chill when in contact with

user's skin



Oxygen Bottle Carrier

140mm diameter stainless steel holder suits sizes Oxygen Bottle sizes C to D Adaptable clamp fits most shower commode brands



Adjustable IV Pole

Clamp-on stainless steel pole to organise intravenous equipment Height adjustable

Adaptable clamp fits most shower commode brands



Commode Bowl & Pan Carrier

Stainless steel, slides easily under seat

Carries a commode bowl with lid, or standard size bed pan

Compatible with Bowl BTC081610 or Pan BTT151800



Commode Bowl & Lid

Assists in the collection of waste


Bowl washable to 95°c



Bed Pan

Assists in the collection of waste

Bed pan autoclavable



For technical support, including user manuals or spare parts, and for further information please contact Aidacare on:

1300 133 120 www.aidacare.com.au

Code	Description	Warranty
BTC067105	Stump Support	1 year
BTC067106	Stump Support – Tilt Commode – Left	1 year
BTC067107	Stump Support – Tilt Commode – Right	1 year
BTC067050	Advanced Headrest	1 year
BTC082900	Self Propelling Conversion Kit	1 year
BTC067000	Padded Armrest	1 year

Code	Description	Warranty
WCA867010	Lateral Support	1 year
BTC067100	Adjustable Pelvic Belt	1 year
BTC067200	Oxygen Bottle Carrier	1 year
BTC067103	Adjustable IV Pole	1 year
BTC067200	Commode Bowl & Pan Carrier	1 year
BTC081610	Commode Bowl & Lid	1 year
BTT151800	Bed Pan	1 year



SHOWER COMMODE ACCESSORIES MATRIX

Aspire Show	wer Commodes s Matrix		Accessories Fit Commode Code(s)															
Code	Accessories	DVA	BTC066000	BTC066200	BTC066050	BTC066055	BTC061400	BTC065900	BTC066100	BTC066060	BTC066065	BTC061300	BTC061305	BTC066030	BTC066040	BTC061200	BTC068010	BTC068020
			BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04	BE04
Padded Seats																		
BTC066600	460mm Open	BE04						•										
BTC066700	460mm Closed	BE04	•	•				•	•					•				
BTC066750	530mm Open	BE04								•					•			
BTC066800	600mm Open	BE04					•					•	•					
Hand Made Pr	ressure Seat - Customisa	tion Ava	ilable															
BTC089130	460mm Open Front	BE04						•										
BTC089140	460mm Closed Front	BE04	•	•				•	•					•				
BTC089170	500mm Open Front	BE04	•	•				•	•									
BTC089180	500mm Closed Front	BE04	•	•				•	•					•				
BTC089190	550mm Open Front	BE04			•	•				•	•				•			
BTC089200	550mm Closed Front	BE04								•								
BTC089210	600mm Open Front	BE04											•					
BTC089220	600mm Closed Front	BE04																
BTC089230	650mm Open Front	BE04																
BTC089240	650mm Closed Front	BE04					•						•					
ROHO Padded	Seat - Additional Access	sory for	Seats															
BTC067500	425mm Closed	BE04																
BTC067900	425mm Closed	BE04	•	•				•	•	•					•	•		•
BTC067600	470mm Closed	BE04	•	•		•	•	•	•	•		•	•	•	•	•		•
BTC067300	470mm Closed	BE04	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•
Other Accesso	ories																	
BTC082900	Self Propelling Kit	BE04						•										
BTC066400	Pan Carrier	BE04												•		•		
BTC081610	Commode Bowl	BE04						•								•		•
BTT151800	Bed Pan	BE04						•										
BTC067108M	Elevating Leg Rest - L	BE04						•										
BTC067109M	Elevating Leg Rest - R	BE04						•	•									
BTC067110M	Elevating Leg Rest - L	BE04																
BTC067115M	Elevating Leg Rest - R	BE04												•	•			
BTC067105	Stump Support	BE04	•		•	•			•			•	•	•	•			
BTC067050	Advanced Head Rest	BE04	•	•	•				•				•	•	•			
WCA867010	Lateral Support	BE04	•	•	•	•	•	•	•	•	•	•	•	•	•			
BTC067200	Oxygen Bottle Carrier	BE04	•	•	•	•	•	•	•		•	•	•	•	•		•	
BTC067100	Adjustable Pelvic Strap	BE04	•	•	•	•	•		•	•	•	•	•	•	•		•	
BTC067103	Adjustable IV Pole	BE04																



CUSTOM MADE SHOWER COMMODE SEATS

SCRIPT FORM

Client Name:	Date:
Phone:	Fax:
Address:	
Therapist	
Name:	Email:
Phone:	Fax:
Aidacare Representative	Email:
Name:	Email.
Please complete all details below in 1 to 7 and send fille	ed script form to commodeseats@aidacare.com.au
1. Please choose one: Order - Please provide order	er no or 🔲 Quote Request
2. Which brand of shower commode will the seat be	attached to? (Required):
3. Choose your Fabric: PU Coated 4 way Stretch F	abric Or Medical Grade White Vinyl
(Standard seat thickness 70	mm with (Standard seat thickness 50mm)
30mm memory foam top la	· ,
4. Choose your Seat Configuration (Required)	5. Optional Seat Configuration (Choose One, Both or None)
Closed Front ☐ Open Front ☐ Open Right ☐ Open	Left ☐ Right Bite ☐ Left Bite ☐
	(Without Open Right) (Without Open Left)
6. Specify Relevant Seat Dimensions 1. Seat Widthmm	Front of Seat
	110111101100000
2 Seat Denth mm	1 2
 Seat Depthmm Hole Lengthmm 	6
	•
3. Hole Lengthmm	6
3. Hole Lengthmm4. Hole Widthmm	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm 	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm 	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm Left Bite Openingmm 	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm Left Bite Openingmm Right Bite from Rearmm 	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm Right Bite from Rearmm Right Bite Depth (from side)mm 	
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm Right Bite Openingmm Right Bite Depth (from side)mm Right Bite Openingmm Right Bite Openingmm Seat Thicknessmm 	
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm	
 Hole Lengthmm Hole Widthmm Hole From Rearmm Hole Openingmm Left Bite from Rearmm Left Bite Depth (from side)mm Right Bite Openingmm Right Bite Tom Rearmm Right Bite Depth (from side)mm Right Bite Openingmm Seat Thicknessmm (Std for PU is 70mm / Vinyl is 50mm) 	
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm 13. Seat Thicknessmm (Std for PU is 70mm / Vinyl is 50mm) 7. Additional Information - Notes :	
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm 13. Seat Thicknessmm (Std for PU is 70mm / Vinyl is 50mm) 7. Additional Information - Notes:	
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm 13. Seat Thicknessmm (Std for PU is 70mm / Vinyl is 50mm) 7. Additional Information - Notes:	Checked by:
3. Hole Lengthmm 4. Hole Widthmm 5. Hole From Rearmm 6. Hole Openingmm 7. Left Bite from Rearmm 8. Left Bite Depth (from side)mm 9. Left Bite Openingmm 10. Right Bite from Rearmm 11. Right Bite Depth (from side)mm 12. Right Bite Openingmm 13. Seat Thicknessmm (Std for PU is 70mm / Vinyl is 50mm) 7. Additional Information - Notes:	Checked by: Completed date: